NAVIGATING SURGICAL ROBOTICS: ENSURING SAFETY AND PRECISION

Roxana-Mariana Nechita [1, 2, *], Oliver Ulerich [1, 3], Cozmin Cristoiu [3, 4]

[1] National Institute of Research and Development in Mechatronics and Measurement Technique, 6-8 Pantelimon Road, Bucharest, Romania
[2] National University of Science and Technology Politehnica Bucharest, Doctoral School of Entrepreneurship, Engineering, and Business Management,
[3] National University of Science and Technology Politehnica Bucharest, Faculty of Industrial Engineering and Robotics, 313 Splaiul Independentei, Bucharest, Romania
[4] Robodictive SRL
* Corresponding author. E-mail: roxana.nechita2000@gmail.com

Abstract: The integration of robotics into surgical procedures has revolutionized medical interventions by offering unparalleled precision and control, leading to enhanced postoperative recovery and optimized clinical outcomes. However, this advanced technology introduces a distinct and complex set of risk management challenges that extend beyond technical aspects to encompass human factors, operational processes, and ethical considerations. This article systematically explores proactive strategies for identifying, classifying, assessing, and mitigating risks associated with robotic surgery, emphasizing the paramount importance of patient safety and procedural effectiveness. Through a detailed analysis, including a risk mapping framework, we categorize risks into hazards (intrinsic system vulnerabilities) and control-related risks (stemming from human or organizational deficiencies), highlighting that a significant proportion of identified risks are control-related. The prioritization reveals that interoperability issues, insufficient staff training, high acquisition costs, and legal responsibility dilemmas represent the most critical vulnerabilities, necessitating immediate and comprehensive mitigation strategies. By addressing these challenges with tailored interventions, healthcare institutions can transform potential risks into opportunities, fostering confidence in the future of robotic-assisted surgery and ensuring its safe and effective deployment.
Keywords: surgical robotics, risk management, patient safety, risk mapping, control-related risks.

1. Introduction

The integration of robotics into various sectors brings innovation and efficiency, as well as a new set of risk management challenges. Unlike traditional risks, those associated with robotic systems are complex, dynamic and interconnected, requiring a proactive and adaptable approach. The symbiosis of risk management and robotics involves identifying and mitigating hazards, as well as leveraging the potential of robotics to enhance risk management processes.

Robotic surgery has transformed the landscape of medical procedures by providing an unparalleled level of precision and control in the operating theatre. From minimally invasive procedures to highly complex surgeries, these systems have opened up new possibilities for patients and surgeons alike, offering accelerated postoperative recovery and optimised clinical outcomes. However, as with any cutting-edge technology, implementing and using these sophisticated systems presents a distinct set of challenges.

These challenges go beyond the technical aspects of the equipment to encompass human factors, operational processes and ethical considerations. Ensuring patient safety and the effectiveness of robotic procedures is absolutely paramount. This article explores proactive strategies to address these challenges, transforming potential risks into opportunities and fostering confidence in the future of robotic surgery.

2. Risk Identification

The first step in the risk management process is risk identification, which aims to detect all uncertain events that could have a negative impact on the objectives of robotic surgery. In the context of robot-assisted interventions specifically, risks can be classified into several main categories, reflecting the complexity of the interaction between technology, human factors, and the operating environment.

Table 1 provides a systematic presentation of the identified risks, including an identification symbol, a concise description of the risk, and how it manifests itself.

Tab. 1. Risk identification.

Nr.	Risk	Manifestation
R1	Hardware system malfunctions	Robotic arm freezes, surgical instrument failure, sensor errors, mechanical or electronic component breakdown.
R2	Software/ Algorithmic errors	Bugs in programming code, incorrect interpretation of imaging data by AI, erroneous predictions from machine learning algorithms (overfitting).
R3	Cybersecurity vulnerabilities	Cyber-attacks (ransomware, control takeover), patient data security breaches, compromise of the system's functional integrity.
R4	Interoperability issues	Difficulties in integrating the robotic system with other medical equipment (e.g., navigation systems, monitoring) or with the hospital's IT system.
R5	Insufficient staff training/ experience	Incorrect operation of the robotic console, erroneous interpretation of tactile/visual feedback, lack of ability to manage emergency situations.
R6	Operator fatigue and stress	Reduced precision and reaction time of the surgeon or team, impaired judgment during long and complex procedures.
R7	Non- compliance with pre-operative protocols	Incorrect robot parameter settings, use of inappropriate instruments, omissions in safety checks.
R8	Lack of contingency plan	Inability to rapidly convert to open surgery or manage a major robot malfunction during the intervention.
R9	High acquisition/ maintenance costs	Negative impact on institutional budget, limitation of acquiring other essential equipment, increase in medical service costs.
R10	Legal responsibility dilemmas	Difficulty in attributing culpability in the event of a systemic error or robotic malfunction causing an adverse event.

Minimally invasive neurosurgical procedures, particularly complex ones, require an exceptional level of precision and advanced spatial awareness. These interventions often exceed the duration of conventional surgery, requiring prolonged cognitive and motor engagement from the surgical team. In such demanding conditions, surgeons must maintain impeccable hand-eye coordination, exercise continuous clinical judgement and perform micromanoeuvres within anatomically intricate and fragile regions [1].

Since each action in neurosurgery can have direct and irreversible consequences for the patient, mental and physical fatigue becomes a critical factor. The combination of the technical complexity of these operations, their extended timelines and the physiological limits of human performance highlights the growing importance of technological augmentation in neurosurgery [2]. These dynamics may account for the estimated 25% of technical medical errors attributed to surgical acts, with neurosurgery representing a significant proportion of such events [3].

Meanwhile, the global healthcare sector is facing a "human resource crisis" [4], exacerbated by demographic trends such as increased life expectancy and accelerated population growth [5–7], which drive demand for medical services upwards. In this context, robotic-assisted surgical systems offer a potential solution to alleviate workforce pressures, particularly during highly demanding intraoperative phases. When equipped with artificial intelligence algorithms, such systems can rapidly process complex data with a reduced likelihood of error, thereby mitigating risks linked to human fatigue or psychological stress [1].

In order to manage risks in robotic surgery effectively, it is important to not only identify them (Tab. 2), but also to understand their origin. This means determining whether they arise from inherent system vulnerabilities (hazards) or gaps in management and operational control (control-related risks).

This distinction is essential in designing tailored responses:

– Hazards are intrinsic to the technology or surgical environment and often cannot be completely eliminated, but must be monitored, mitigated, or designed around.
– Control-related risks, on the other hand, stem from organizational decisions, human error, or process deficiencies, and can often be prevented or reduced through training, protocols, planning, and oversight.
– Speculative risks, which are common in fields such as finance and innovation management, involve intentionally exposing oneself to uncertainty in the hope of achieving a positive outcome. However, no such risks are present in robotic surgery. The primary objective is to eliminate or mitigate harm, rather than to pursue uncertain opportunities.

Recognizing this difference helps institutions focus resources where they can have the most impact, either by reinforcing control systems or by designing resilience around unavoidable hazards.

Tab. 2. Risk classification.

Nr.	Type
R1	Hazard
R2	Hazard
R3	Control
R4	Control
R5	Control
R6	Control
R7	Control
R8	Control
R9	Hazard
R10	Control

Analysis of the presented table indicates the classification of ten distinct elements (R1–R10) into two generic categories: 'Hazard' and 'Control'. Most of the elements (7 out of 10, namely R3, R4, R5, R6, R7, R8 and R10) are designated as 'Control', while the remaining three (R1, R2 and R9) are labelled as 'Hazard'. The predominant number of 'controls' suggests that a significant proportion of the identified risks originate from or may be influenced by human resource issues, requiring specific control measures to address this component. Such preliminary categorisation is typically used as an initial step in a risk management framework, facilitating a fundamental differentiation between potential sources of uncertainty and the proposed mechanisms for managing them.

3. Risk Assessment

In the context of operational and technological management, risk is defined as a combination of the probability of an undesirable event occurring and its potential impact on the system's objectives. Probability reflects the likelihood of a particular risk materialising, while impact indicates the magnitude of the potential consequences, whether relating to patient safety, procedure continuity or technological infrastructure integrity.

For this study, an artificial intelligence expert, who is actively involved in applied research in surgical robotics, provided an informed estimate of the probability of occurrence and level of impact of each identified risk (Table 3).

This scientific contribution enables risks to be ranked objectively and informs the decision-making process regarding reduction and control strategies.

Based on the obtained assessments, a risk factor (F_R) was calculated for each risk. This is defined as the product of the probability of occurrence (P) and the estimated impact (I):

$$F_R = P \times I \qquad (1)$$

Tab. 3. Risk assessment.

Symbol	Probability	Impact	RF
R1	9	9	81
R2	10	5	50
R3	2	5	10
R4	10	10	100
R5	10	10	100
R6	7	8	56
R7	5	7	35
R8	7	10	70
R9	10	10	100
R10	9	9	81

Following the assessment of individual risk factors, the subsequent step in a robust risk management framework involves the prioritization of identified risks. This process is crucial for strategically allocating finite resources and focused attention towards risks possessing the highest potential for adverse impact on the objectives of robotic surgical interventions. By systematically ranking risks based on their calculated risk factor (RF), healthcare organizations can develop highly targeted and effective mitigation strategies.

4. Risk Mitigation Strategies

The development and implementation of effective risk mitigation strategies constitute a fundamental component of a comprehensive risk management framework [8,9]. These strategies are specifically designed to either reduce the probability of identified risks materializing or to attenuate their impact should they occur. Drawing upon the risk assessment and prioritization presented in Section 3, tailored mitigation strategies can be formulated for each significant risk.

Risk mapping serves as a pivotal analytical tool within comprehensive risk management frameworks, facilitating the visual assessment and strategic prioritization of identified risks based on their estimated likelihood of occurrence and potential impact on organizational objectives [10,11]. This method categorizes risks within a graphical framework, typically a matrix (Figure 1), which directly informs the selection of appropriate risk management strategies. The horizontal axis (abscissa) of this matrix quantitatively represents the probability of risk occurrence, spanning from lower probabilities on the left to higher probabilities on the right. Conversely, the vertical axis (ordinate) denotes the potential impact of these risks, ranging from minimal impact at the base to severe impact at the apex.

This matrix is conceptually divided into four distinct quadrants, each prescribing a specific strategic response for risk management.




Fig. 1. Risk matrix

First quadrant encompasses risks characterized by a low probability of occurrence but a high potential impact should they materialize. For such risks, the recommended strategic approach often involves risk transfer or robust mitigation. Risk transfer entails shifting the potential burden of the risk to a third party, for instance, through specialized insurance policies covering unforeseen system failures, or through contractual agreements with manufacturers for comprehensive support in the event of rare but catastrophic malfunctions. In the context of surgical robotics, this quadrant might include scenarios such as highly improbable, yet devastating, systemic software bugs leading to critical patient harm (a highly impactful but ideally low-probability event due to rigorous testing) or rare, unforeseen hardware component failures that halt complex procedures.

Risks situated in the second quadrant are defined by both a high probability of occurrence and a high potential impact. The primary strategic approach for these risks is risk termination or avoidance, implying that the activities or projects presenting such significant and probable risks should either be ceased or fundamentally re-engineered to eliminate the risk altogether. In surgical robotics, such a scenario would indicate critical systemic flaws that render the technology unacceptably dangerous without fundamental redesign. It is crucial to distinguish this from "speculative risks" common in other fields (e.g., finance), where high risks are sometimes accepted for high potential gains; in healthcare, the primary objective is harm elimination, not speculative opportunity.

Third quadrant comprises risks characterized by both a low probability of occurrence and a low potential impact. For these risks, the recommended strategy is often risk tolerance or acceptance, implying that while acknowledged, they do not warrant significant allocation of additional resources for extensive management. The impacts are considered minimal and acceptable within the operational framework. Continuous monitoring remains prudent to ensure that their probability or impact does not escalate. In the context of surgical robotics, these might be minor, infrequent software glitches that cause negligible operational delays without affecting patient safety.

Risks within fourth quadrant exhibit a high probability of occurrence but a low potential impact. The appropriate strategy for these risks is risk treatment or mitigation, focusing on implementing preventive and control measures to reduce their frequent occurrence or to minimize their minor, yet disruptive, effects. Measures may include establishing clear internal policies and processes designed to manage and reduce the incidence of these minor risks, preventing them from cumulatively affecting the project or organization significantly. In surgical robotics, this could involve frequently encountered minor calibration issues that are easily corrected and do not impact surgical outcomes. While their individual impact is not assessed as catastrophic, their relatively high probability of occurrence necessitates consistent attention and continuous treatment through adherence to protocols, regular software updates, and robust fatigue management strategies to prevent cumulative negative effects.

5. Conclusion

The integration of robotics into surgical practice represents a paradigm shift, offering unprecedented precision and control while simultaneously introducing a

complex array of risks. This article has systematically explored the critical facets of navigating surgical robotics, emphasizing the paramount importance of ensuring safety and precision. Through a structured approach to risk identification, classification, assessment, and prioritization, we have highlighted key vulnerabilities inherent in these sophisticated systems and their operational environments.

The analysis revealed that while hardware system malfunctions (R1) and software/algorithmic errors (R2) are intrinsic hazards, a majority of the identified risks stem from control-related factors. These include critical issues such as interoperability problems (R4), insufficient staff training and experience (R5), non-compliance with pre-operative protocols (R7), and the absence of robust contingency plans (R8). Furthermore, high acquisition and maintenance costs (R9) and legal responsibility dilemmas (R10) emerged as top-priority concerns, underscoring the multifaceted challenges extending beyond purely technical aspects. The reliance on informed expert estimation for probability and impact, yielding a calculated risk factor (RF), provided a quantitative basis for prioritizing these risks, guiding the allocation of resources towards the most impactful mitigation strategies.

Ultimately, the successful and safe integration of surgical robotics necessitates a holistic and proactive risk management framework. This framework must encompass not only technological considerations but also human factors, operational processes, and ethical dimensions. By diligently implementing the strategies outlined, healthcare institutions can transform potential risks into opportunities, enhancing patient safety, optimizing clinical outcomes, and fostering greater confidence in the future of robotic-assisted surgery.

Acknowledgements

This work was supported by the (1) Research Program Nucleu within the National Research Development and Innovation Plan 2022-2027, carried out with the support of MCID, project no. PN 23 43 04 01; (2) CERMISO Center – Project Contract no. 159/2017, Programme POC-A.1-A.1.1.1-F; (3) Support Center for international CDI projects in the field of Mechatronics and Cyber-MixMechatronics, Contract no. 323/22.09.2020, project co-financed from the European Regional Development Fund through the Competitiveness Operational Program (POC) and the national budget; and (4) ERASMUS-EDU-2023-EUR-UNIV, Project 101124676 — EELISA, funded by the European Union, https://eelisa.eu/.

Disclaimer

Views and opinions expressed are those of the authors only and do not necessarily reflect those of the European Union or the European Education and Culture Executive Agency (EACEA). Neither the European Union nor EACEA can be held responsible for them.

6. References

[1] Nechita R.M., Stochioiu F.P.G., Grecu I.: "Synergy between research projects", FAIMA Business & Management Journal, Vol. 13, No. 1, 2025.
[2] Rolston J.D., Zygourakis C.C., Han S.J., Lau C.Y., Berger M.S., Parsa A.T.: "Medical errors in neurosurgery", Surg Neurol Int., Vol. 5, No. 10, pp. S435-S440, 2014.
[3] Aluttis C., Bishaw T., Frank M.W.: "The workforce for health in a globalized context--global shortages and international migration", Glob Health Action, Vol. 7, 2014.
[4] Van Bavel J.: "The world population explosion: causes, backgrounds and projections for the future", Facts Views Vis Obgyn, Vol. 5, No. 4, pp. 281-291, 2013.
[5] Vaupel J.W.: "Biodemography of human ageing", Nature, Vol. 464, No. 7288, pp. 536-542, 2010.
[6] You D., Hug L., Ejdemyr S., et al.: "Global, regional, and national levels and trends in under-5 mortality between 1990 and 2015, with scenario-based projections to 2030: a systematic analysis by the UN Inter-agency Group for Child Mortality Estimation", Lancet, Vol. 386, No. 10010, pp. 2275-2286, 2015.
[7] Rolea A.M.E., Nechita R.M., Boncătă A.E., Cristoiu C.: "Risk management in the process of library technologization through robotics", Robotica&Management International Journal, Vol. 29, No. 2, 2024.
[8] Pascarella G., Rossi M., Montella E., et al.: "Risk Analysis in Healthcare Organizations: Methodological Framework and Critical Variables", Risk Manag Healthc Policy, Vol. 14, pp. 2897-2911, 2021, doi: 10.2147/RMHP.S309098
[9] Deselnicu D.C.: "Risk Management", Niculescu Publishing House, 2014.
[10] International Organization for Standardization: Medical devices — Application of risk management to medical devices. ISO 14971:2019. Published online 2019. Accessed Dec 10, 2026. https://www.iso.org/standard/72704.html
[11] Project Management Institute: A Guide to the Project Management Body of Knowledge (PMBOK® Guide) — Eighth Edition and The Standard for Project Management. Project Management Institute; 2025